

Safety data sheet

Natural Soap

1. Identification of the substance/preparation and of the company/undertaking

Prepared on: 06-10-2010/ LFH

Replaces: 26-11-2008

Product use: Floor soap

Distributor:

WoodCare Denmark A/S

Tværvei 6

6640 Lunderskov

Tel:99585600 Fax:99585634

Emergency telephone number: 99585600

The emergency telephone is open between 8 a.m. and 4

p.m. on workdays.

Contact person:Environmental Department

Email: info@ttwoodcare

2. Hazards identification

DSD/DPD-classification

The product shall not be classified as hazardous according to the national classification and labelling rules.

3. Composition/information on ingredients

Einecs no. CAS No.

Substances
Contains no substances subject to reporting

DSD-Classification

w/w%

requirements.

Please see section 16 for the full text of the R-phrases

Other information

Declaration in compliance with EC regulation no. 648/2004

15-30% soap

4. First aid measures

Inhalation

Seek fresh air.

Ingestion

Rinse mouth thoroughly and then drink plenty of water. Do not induce vomiting. Seek medical advice if symptoms persist.

Skir

Wash skin with soap and water.

Eyes

Rinse immediately with water (preferably using eye wash) for at least 5 minutes. Open eyes wide. Remove any contact lenses. Seek medical advice if irritation persists.

Other information

When obtaining medical advice, show the safety data sheet or label. Symptoms: See section 11.

5. Fire-fighting measures

The product is not directly flammable. Avoid inhalation of vapour and flue gases - seek fresh air.

WoodCare Denmark A/S Tværvej 6, 6640 Lunderskov Tlf.: 99585600 Fax: 99585634, www.woodcaredenmark.com

Prepared on: 06-10-2010/LFH Natural Soap
Replaces: 26-11-2008

(epiaces, 20 11 2000

6. Accidental release measures

Prevent spillage from entering drains and/or surface water.

7. Handling and storage

Handling

See section 8 for information about precautions for use and personal protective equipment.

Storage

Store safely, out of reach of children and not together with food, animal feeding stuffs, medicines, etc. Do not expose to heat (e.g. sunlight). Store frost-free. Keep in tightly closed original packaging.

8. Exposure controls/ personal protection

Precautions for use

No special requirements.

Respiratory protection

Not required.

Gloves and protective clothing

Wear protective gloves made of nitrile rubber,

Eye protection

Wear safety goggles if there is a risk of eye splash.

Occupational exposure limits

Contains no substances subject to reporting requirements.

9. Physical and chemical properties

State: Liquid

pH (concentrate): ca. 9,7 Density: - g/ml 1,01- 1,03

10. Stability and reactivity

The product is stable when used in accordance with the supplier's directions.

11. Toxicological information

Acute

Inhalation

Inhalation of vapours may cause irritation to the upper airways.

Ingestion

Irritates mucous membranes in mouth and gastrointestinal tract.

Skin contact

Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking.

Eye contact

May cause eye irritation.

Long-term effects

None known.

 $WoodCare\ Denmark\ A/S\ Tværvej\ 6,\ 6640\ Lunderskov\ Tlf.:\ 99585600\ Fax:\ 99585634,\ www.woodcaredenmark.com$

Prepared on: 06-10-2010/LFH
Replaces: 26-11-2008

Natural Soap

12. Ecological information

Do not discharge large quantities of concentrated spills and residue into drains.

13. Disposal considerations

Contact the local authorities.

14. Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR and IMDG.

15. Regulatory information

Hazard designation: It has been assessed that the product shall not be classified as hazardous according to the national classification and labelling rules.

Other labelling

None.

Chemical safety assessment

Chemical safety assessment has not been performed.

16. Other information

Restrictions on use

None.

Training requirement

No special training is required, but a thorough knowledge of this safety data sheet should be a prerequisite condition.

Sources used

Other information

This safety data sheet was prepared from information provided by the supplier about physical/chemical properties and all ingredients in the product.

Full text of the R-phrases that are stated in section 3.

No R-phrases.

Amendments have been made in the following sections

3,7,9

WoodCare Denmark A/S Tværvej 6, 6640 Lunderskov Tlf.: 99585600 Fax: 99585634, www.woodcaredenmark.com (Made in Toxido®) UK



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Maintenance Oil

Product no.

REACH registration number

Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

wood surfaces, indoors

Uses advised against

_

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address

WOCA Denmark A/S

Tværvej 6

6640 Lunderskov

Denmark

Tel: +45 99585600

Fax:+45 99585636

Contact person

LFH

E-mail

info@ttwoodcare.com

SDS date

2017-02-21

SDS Version

2.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

▼2.1. Classification of the substance or mixture

Asp. Tox. 1; H304

See full text of H-phrases in section 2.2.

2.2. Label elements

▼Hazard pictogram(s)



▼Signal word

Danger

▼Hazard statement(s)

May be fatal if swallowed and enters airways. (H304)



▼Safety statement(s)

General If medical advice is needed, have product container or label at hand. (P101).

Keep out of reach of children. (P102).

Prevention

Response Do NOT induce vomiting. (P331).

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

(P301+P310).

Storage Store locked up. (P405).

Disposal Dispose of contents/container to an approved waste disposal plant. (P501).

Videntity of the substances primarily responsible for the major health hazards

Alkanes, C12-15-branched and linear

▼2.3. Other hazards

Contains drying oils. Risk of self-ignition. Spills, soiled rags, etc. must be contained, stored in fire-proof waste containers and then destroyed.

This product contains substances that can cause chemical pneumonia if inhaled. The symptoms of chemical pneumonia may appear after several hours.

This product contains an organic solvent. Repeated or prolonged exposure to organic solvents may result in adverse effects to the nervous system and internal organs such as liver and kidneys.

VAdditional labelling

Repeated exposure may cause skin dryness or cracking. (EUH066)

VAdditional warnings

Tactile warning. If this product is sold in retail, it must be delivered with child-resistant fastening.

VOC

VOC-MAX: 560 g/l, MAXIMUM VOC CONTENT (A/f (SB)): 700 g/l.

SECTION 3: Composition/information on ingredients

▼3.1/3.2. Substances/Mixtures

NAME: Alkanes, C12-15-branched and linear

IDENTIFICATION NOS.: CAS-no: 1437281-03-2 EC-no: 940-727-9 REACH-no: 012120083064-61

CONTENT: 40-60% CLP CLASSIFICATION: Asp. Tox. 1, H304, EUH066

NOTE: S

(*) See full text of H-phrases in chapter 16. Occupational exposure limits are listed in section 8, if these are available.

S = Organic solvent

Other information

ATEmix(inhale, vapour) > 20 ATEmix(oral) > 2000

SECTION 4: First aid measures

4.1. Description of first aid measures

▼General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service (dial 111, 24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

▼Inhalation

Bring the person into fresh air and stay with him.

▼Skin contact

Immediately remove contaminated clothing and shoes. Ensure that skin, which has been exposed to the material, is washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

VEve contact

Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

VIngestion



In the case of ingestion, contact a doctor immediately and bring safety data sheet or label. If the person is conscious, give them water. DO NOT try to induce vomiting, unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Do not induce vomiting! If vomiting occurs, keep head facing down to prevent vomit entering the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia can appear after several hours. People who have swallowed the product should be kept under medical attention for a minimum of 48 hours.

Burns

Not applicable

▼4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that can cause chemical pneumonia if inhaled. The symptoms of chemical pneumonia may appear after several hours.

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

▼4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

▼5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

▼5.2. Special hazards arising from the substance or mixture

No special

▼5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

▼ 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Avoid inhalation of vapours from spilled material.

6.2. Environmental precautions

No specific requirements.

▼ 6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

▼ 6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

▼7.1. Precautions for safe handling

Because of the danger of self-ignition, any waste from the product (spills, soiled rags etc.) are to be kept in a fire-proof place in air-tight containers, alternatively the waste can be burned. Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection. Avoid direct contact with the product.

▼ 7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.



▼Storage temperature

Store frost-free.

▼ 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

VOEL

No substances are listed in The Control of Substances Hazardous to Health Regulations with an occupational exposure limit.

VDNEL / PNEC

No data available

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Observe general occupational hygiene standards.

Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

▼Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

VHygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment



VGenerally

Use only CE marked protective equipment.

Respiratory Equipment

If ventilation at the work place is insufficient, use a half- or whole mask with an appropriate filter or an airsupplied breathing apparatus depending on the concrete work situation and how long you will be using the product.

VSkin protection

Wear appropriate protection clothing, e.g. coveralls in polypropylene approved type 6 and Category III.

▼Hand protection

Recommended: Nitrile rubber. See the manufacturer's instructions.

▼Eye protection

Wear safety glasses with side shields.

SECTION 9: Physical and chemical properties

▼9.1. Information on basic physical and chemical properties

Form Liquid

Colour Various colours

Odour Faint

pH No data available. Viscosity (40°C) 9-10 mm2/sek Density (g/cm³) 0,83-0,9

▼ Phase changes

Melting point (°C)

Boiling point (°C)

No data available.

No data available.

According to EC-Regulation 2015/830



Vapour pressure

▼ Data on fire and explosion hazards

Flashpoint (°C)
Ignition (°C)
Self-ignition (°C)

Explosion limits (Vol %)

Solubility

Solubility in water n-octanol/water coefficient

▼9.2. Other information

Solubility in fat (g/L)

No data available.

>84

No data available. No data available. No data available.

Insoluble

No data available.

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

▼ 10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

10.3. Possibility of hazardous reactions

No special

▼ 10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

▼ 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

VAcute toxicity

Substance	Species	Test	Route of exposure	Result
Alkanes, C12-15-branched and	Rat	LD50	Oral	> 5000 mg/kg
l	Rabbit	LD50	Dermal	> 5000 mg/kg
Alkanes, C12-15-branched and				

VSkin corrosion/irritation

No data available.

Serious eye damage/irritation

No data available.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

No data available.

Reproductive toxicity

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

▼Aspiration hazard

May be fatal if swallowed and enters airways.

▼Long term effects

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.



SECTION 12: Ecological information

12.1. Toxicity

Substance Species Test Duration Result

No data available.

12.2. Persistence and degradability

Substance Biodegradability Test Result

No data available.

12.3. Bioaccumulative potential

Substance Potential bioaccumulation LogPow BCF

No data available.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

▼ 12.6. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

Waste

EWC code

Specific labelling

VContaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG.

ADR/RID

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard
class(es)
14.4. Packing group
Notes

Tunnel restriction code

VIMDG

UN-no. Proper Shipping Name Class PG* EmS MP** Hazardous constituent -

VIATA/ICAO

UN-no. - Proper Shipping Name - Class - PG*

14.5. Environmental hazards

-



14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

No data available

- (*) Packing group
- (**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VRestrictions for application

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education

Additional information

Sources

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP). EC regulation 1907/2006 (REACH).

15.2. Chemical safety assessment

Nο

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H304 - May be fatal if swallowed and enters airways.

EUH066 - Repeated exposure may cause skin dryness or cracking.

The full text of identified uses as mentioned in section 1

Other symbols mentioned in section 2

Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The safety data sheet is validated by

LFH

Date of last essential change (First cipher in SDS version) 2015-02-18





Date of last minor change (Last cipher in SDS version) 2015-02-18

ALPHAOMEGA. Licens nr.:3403098723, 6.2.0 www.chymeia.com

Safety Data Sheet - WoCa Wood Cleaner

0. General:

: means no data or not relevant

1. Identification:

Product name: WoCa Wood Cleaner Product Category: Application: Basic cleaning.

Measures by accident/poisoning: Bring the packaging or the product information data sheet when seeking medical attention. In Denmark: for information bout the proper treatment, the doctor may call the poison information at Bispebjerg Hospital, phone +45 35 31 60 60

2. Composition/Information on Ingredients:

Hazardous compounds in accordance with EC Directives 1999/45/EEC; 2001/59/EEC (symbol and R-phrases are stated for the pure compound). Any volatile compounds are stated in item 8 in units of ppm.

Any volutile compounds are stated in item o in dring or ppin.				
Contains:	Weight %:	Classification:		
Alkylpolyglucosid	< 5	Xi, R41		
CAS No.: 94038-1				
C13-oxoalcohol 8 EO	< 5	Xn. R22. R41		
CAS No.: 69011-36-5		, ,		
Alcohol ethoxylate	< 1	Xi, N, R38, R50		
CAS No.: 94038-2		, ,,		

3. Hazards Identification:

Main Toxicological and Ecological hazards: Eye irritant. Symptoms: -

4. First Aid Measures:

General information: Bring this Safety Data Sheet with you to physician/emergency room. If in doubt, Also see para. 1 Inhalation: Fresh air.

Contact with eyes: Open your eye wide. Immediately rinse with water for at least 15 minutes. Seek medical attention.

Contact with skin: Rinse with water.

Ingestion: Rinse mouth and then drink plenty of water.

5. Fire-fighting Measures:

Suitable extinguishing media: Not flammable. Use extinguishing media appropriate for surrounding fire.

Extinguishing media that must not be used: -

Special hazards:

Special protective equipment: See item 8.

General information: If possible remove the product - otherwise keep it cooled with water.

6. Accidental Release Measures:

Personal precautions: Wear personal protection - see item 8. Environmental precautions: See item 13.

Methods for cleaning up: Absorb large spills using absorbing material and deliver to an approved receiving station for hazardous waste. Small quantities of spilled material may be flushed to drains with plenty of

7. Handling and Storage:

Handling: Avoid contact with eyes. Do not mix with acidic products. Working routines should be implemented to reduce spill or any other form of spreading.

Storage: Store in closed original receptacle.

Specific Environmental Protection Precautions: To prevent leakage, containers in use must be carefully closed and stored in upright position. Durability: 36 months

8. Exposure Control/Personal Protection:

Engineering Control Measures: Eye rinsing bottle and plenty of water must be available.

Respiratory Protection: -

Hand Protection: If possible use protective gloves made of rubber. Eye-Protection: Wear protective goggles if there is risk of splashing. Skin-Protection:

General information: Workplace and methods must be arranged to prevent all direct contact with the product.

9. Physical and Chemical Properties:

Form: Liquid Specific volume: 1,06 g/cm3 pH-value (conc.): 11,5

10. Stability and Reactivity:

Stability: The product is stable in normal use.

11 Toxicological Information:

Contact with skin: Skin irritant.

Contact with eyes: Splash in eye will cause conjunctival irritation Often

the irritation is only noticed after some time.

Chronic effects: None known.

General information:

C13-oxoalcohol 8 EO: LD50 Oral Rat = >200-<2000 mg/kg Alcohol ethoxylate: LD50 Oral Rat = >2000 mg/kg

C13-oxoalcohol 8 EO:

Skin (Rabbit) = Non-irritant OECD 404

Eyes (Rabbit) = Irritant, risk of serious damage to eyes OECD 405

Alcohol ethoxylate:

Skin (Rabbit) = Irritate OECD 404 Eyes (Rabbit) = Irritate OECD 405

12. Ecological Information:

Ecotoxicity: Contains a substance, which is very toxic to aquatic organisms. Contains a substance, which is toxic to aquatic organisms, however, it is easily degradable and, therefore, needs not be classified as harmful to the environment. The remaining substances contained in this product are only faintly toxic to aquatic organisms and, therefore, need not be classified as dangerous to the environment (LC, EC and IC >100 mg/l).

Mobility:

Degradability: The organic substances in this product are easily biodegradable according to OECD test method 301 A-F.

Accumulation: General information:

Alkylpolyglucosid

Toxicity(fish):

LC50 (96 h) >100 - 500 mg/l Toxicity(Water fleas):

Toxicity(algae):

OECD 301 D, >70% (28 days), Ready Degradability: biodegradability

Accumulation: Mobility: Misc.:

C13-oxoalcohol 8 EO

Toxicity(fish):
Toxicity(Water fleas): LC50 (96 h) 1-10 mg/l EC50 (48 h) 1-10 mg/l Toxicity(algae): Degradability:

IC50 (72 h) 10-100 mg/l OECD 301 A, >70% (28 days), Ready

biodegradability COD, 2100 mg/g

Accumulation:

Mobility:

Alcohol ethoxylate

LC50 (96 h) <1 mg/l Toxicity(fish):

WoodCare Denmark A/S Havnevej 17 DK-9560 Hadsund Tel. +45 99 58 56 00 Fax +45 99 58 56 34 woodcaredenmark.com



Wood care Safety data Page 2 December 2005

Toxicity(Water fleas): Toxicity(algae): Degradability: Accumulation: Mobility:

Misc.: Easily biodegradable.

13. Disposal Considerations:

General information: EAK code applies to product remnants in pure

Disposal considerations: This product is considered to be hazardous waste. Dispose of spill and unused material in accordance with local regulations e.g. disposal to an approved receiving centre for chemical

waste. Waste code: 20 01 30

detergents other than those mentioned in 20 01 29

14. Transport Information:

The product is not comprised by transport regulations of dangerous goods.

15. Regulatory information

General information: In accordance with the EC Directives 1999/45/EEC; 2001/59/EEC Statutory Order on classification, packaging, labelling, sale and storage of chemical substances and products. The product is marked as follows:

Labelling:

S(2) Keep out of the reach of children.

Uses and Restrictions: Not to be handled by individuals

under the age of 18 years, according to Danish Ministry of Employment's ministerial order No. 516 of 14th June 1996, concerning young people in

Special Education: None specific - should only be used by persons who are instructed about the hazardous properties of the product.

16. Other Information:

R22 Harmful if swallowed.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

Final remarks: The information in this Safety Data Sheet is based upon the information available at the time of its preparation.

The Safety Data Sheet is issued according to present EEC legislation. The product has not been tested, however, the information about the product is based on knowledge of the dangerous properties of the contained substances together with knowledge about similar products.

Alterations have been carried out as a general update of the data sheet.

References: -

Date of revision: April 2005

