



THE RANGE

- Reagents (growing old, colourant fixing)
- Oils
- Protective Impregnantings
- Varnishes
- Finish products
- Maintenance products
- Waxes

TONALITIES

- Neutral/Natural
- Darker
- Wet effect
- Colored

THE FINAL ASPECTS

- Matt
- Satin
- Glossy
- Waxed



ACIDS



WATER
BASED



FOR
INTERIORS



TO USE
PURE



MANUAL
APPLICATION



FOR
FLOORS



SPREAD
WITH BRUSH



FOR
EXTERIORS



TO USE
DILUTED



INDUSTRIAL
APPLICATION



FOR
STRUCTURES

Acid solution able to confer aging/greying action to wooden artefacts for subsequently receiving the protective treatment. It has a personal specificity, which combined with other products reaches special and original aesthetic results. Ideal on oak, chestnut, elm, larch etc...



**FATTORE
B-21**



**FATTORE
B-210**



**FATTORE
EP-44**



**FATTORE
LK**



**FATTORE
NEL TEMPO**



**FATTORE
OP-2**



**FATTORE
OIPIXAN**



**FATTORE
RH**



**FATTORE
RH/B**

COLORS



FATTORE
B-21



FATTORE
B-210



FATTORE
EP-44



FATTORE LK



FATTORE
NEL TEMPO



FATTORE
OP-2



FATTORE
OIPIXAN



REAGENTS

ALKALINES



Alkaline solution able to confer aging/walnut action to wooden artefacts for subsequently receiving the protective treatment. It has a personal specificity, which combined with other products reaches special and original aesthetic results. Ideal on oak, chestnut, elm, larch etc...



**ANTIQUES
K-2**



**SIRIA
DX**



**SIRIA LEGNO
ANTICO**



**VECCHIA
IRLANDA**

EQUIPMENT



COLORS



FATTORE RH



FATTORE RHB



ANTIQUES K-2



SIRIA DX



SIRIA LEGNO
ANTICO



VECCHIA
IRLANDA



HARBOREA





PROTECTION

NATURAL PARQUET



NATURAL PARQUET is a next generation product for the protection of indoor wooden floors, is a water-based impregnating, non-film forming, consisting of emulsified oils and waxes. Its peculiarity is to combine a natural final effect without altering the natural tone of the wood, whilst protecting it against water, oil and dirt. Available colours: white and grey ash.



WATER
BASED



FOR
INTERIORS



TO USE
PURE



MANUAL
APPLICATION



FOR
FLOORS



SPREAD
WITH BRUSH



FOR
EXTERIORS



TO USE
DILUTED



INDUSTRIAL
APPLICATION



FOR
STRUCTURES



NATURAL LIVING



NATURAL LIVING is a water-based impregnating, non-film forming, consisting of emulsified oils and waxes. Its peculiarity is to combine a natural final effect without altering the natural tone of the wood, whilst protecting it against water, oil and dirt. Available colours: white and grey ash.



WATER
BASED



FOR
INTERIORS



TO USE
PURE



MANUAL
APPLICATION



FOR
FLOORS



SPREAD
WITH BRUSH



FOR
EXTERIORS



TO USE
DILUTED



INDUSTRIAL
APPLICATION



FOR
STRUCTURES





OLIO DI LUNA



OLIO DI LUNA is vegetable oil and wax emulsion based impregnator that provides a pleasing esthetical appearance and offers protection against stains to wooden services as well as simple maintenance. It is suitable for different species of wood both old and new and is suitable for both flooring and internal structures.



WATER BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH BRUSH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES



VIRGIL 17



ZEUS



OCRA



PATINA 2



PATINA 3



PERLAGE



RANCH



SETTEMBRE



TEAK



TENUE



UNGARY



19



ACACIA



ANTIQUE



BIANCO



BLANC



COCO



DAMASO



NOCETO



GHIBLI



VECCHIA SIRIA



VECCHIA NOCE



GRIGIO 50



GRIGIO SYILE



L'ANTICO



LIFE



NC-55



NERO ANTICO



NEUTRO



NOCE CLASSIC

EQUIPMENT





PROTECTION



COROLLE



COROLLE is a blend of various oils of vegetable origin for treating and protecting parquet, whose components have been selected based on environmentally friendly criteria to achieve a natural treatment. It has the characteristic of being able to soak deep into the wood, becoming an integral part of it, giving it extraordinary strength and hardness.



OIL
BASED



FOR
INTERIORS



TO USE
PURE



MANUAL
APPLICATION



FOR
FLOORS



SPREAD
WITH BRUSH



FOR
EXTERIORS




TO USE
DILUTED



INDUSTRIAL
APPLICATION



FOR
STRUCTURES



ALLUMINIO

AVANA

AT-19

BIANCO+
BIANCO

BIANCO
CORDA

EQUIPMENT



GRIGIO
BIG



GRIGIO
AVANA



LAVA
GHIACCIO



GRIGIO
SABBIA



ORO



RAME



ROVERE



R-20



SENNA



TABACCO



TERRA
GIALLA



VELO
CHIARO



VERDE
ARGILLA



LEGNO
ANTICO



NERO



NOCE
MEDIO



NOCCIOLATO



NOCE 177



NOCE
ANTICO



NOCE
CHIARO



NOCE
MEDIO



NOCE
SCURO



PRIMO LEGNO



PRIMO LEGNO is a special paint that gives structures a natural, soft appearance. It offers a stain and dirt resistant treatment and an excellent protection against water on all types of wood.



WATER BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH BRUSH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES

NATURE FUR



NATURE FUR is a newly developed paint for the protection of the wood. In addition to visual characteristics, it is resistant to abrasion and rubber signs. It is suitable for different types of wood which gives it a soft and velvety final look.



WATER BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH BRUSH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES



ESTERNO DECK



ESTERNO DECK is a impregnating for the protection of decking for outdoors. It is based of vegetable oils and acrylic fluoropolymers and it is solvent-free. The processing ensures hydro-oil-repellent proprieties for different wood surfaces as walkways, terraces and poolside. Available neutral or slightly coloured.



WATER/OIL BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH BRUSH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES



PROTECTION

APILEGNO



APILEGNO protects wooden surfaces from weathering and from mould and fungi. Suitable both for interiors and exteriors, it gives a waxed satin-finish, enhancing the natural beauty. It can be used on untreated wood and as a special maintenance treatment.



CONSOLIDANTE MC-80



Consolidating treatment for wooden supports which have a spongy and soft appearance. It increases the hardness surfaces.

PRIMER PK-460



PRIMER PK-460 is used as the insulating fund to counteract the outcrop at the surface of the tannins, thanks to a barrier effect prevents the natural yellowing phenomena and of unsightly dark spots. Available neutral and white version.





HARBOREA





FINISHING

CERA ANTICA



CERA ANTICA is a blend of fine waxes for finishing wooden items. It gives the treated item an antiqued and unique effect.



WAX
BASED



FOR
INTERIORS



TO USE
PURE



MANUAL
APPLICATION



FOR
FLOORS



SPREAD WITH
SCOTCH BRITE



FOR
EXTERIORS



TO USE
DILUTED



INDUSTRIAL
APPLICATION



FOR
STRUCTURES

CREOLA



CREOLA is a wax oil that gives wood surfaces decapé effects in addition to a more full-bodied appearance highlighting characters of softness and brightness.

Available white, beige-24, black, ghibli, grigia hb, terra e vinas.



WAX
BASED



FOR
INTERIORS



TO USE
PURE



MANUAL
APPLICATION



FOR
FLOORS



SPREAD WITH
COTTON CLOTH



FOR
EXTERIORS



TO USE
DILUTED



INDUSTRIAL
APPLICATION



FOR
STRUCTURES

EQUIPMENT



GEMMA



GEMMA wax oil is a conditioning treatment made with wax, vegetable oils and resins that is unique in its kind. It protects and nourishes wooden items treated with oil, while giving an unequalled soft and fuller effect. It is ideal for protecting, finishing and maintaining furniture, beams, doors, windows and gazebos. Its components make wooden surfaces extremely waterproof, facilitating maintenance.



WAX/OIL
BASED



FOR
INTERIORS



TO USE
PURE



MANUAL
APPLICATION



FOR
FLOORS



SPREAD WITH
COTTON CLOTH



FOR
EXTERIORS



TO USE
DILUTED



INDUSTRIAL
APPLICATION



FOR
STRUCTURES



LINFOLEGNO



LINFOLEGNO is a resin-wax microemulsion with modified oils and natural wax, ideal for giving greater protection to parquet, (against substances of various kinds) to be used after pre-treating with oil or solid wax. LINFOLEGNO ensures fast and easy application on previously treated wooden surfaces. It gives parquet greater protection, with a soft and pearly effect, facilitating cleaning and maintenance. Available in polished version and in following colours: white, walnut, nature.



WATER BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH COTTON CLOTH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES

LINFO-OPAX OPR



LINFO-OPAX is an emulsion of fine waxes and propolis that increases the protection of wooden floors treated with vegetable oils or paste waxes, giving a natural satin finish. It ensures excellent resistance to wear and extreme practicality in routine maintenance. It is easy to apply and is fast-drying.



WATER BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH COTTON CLOTH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES

LINFO PARQUET 66



LINFO PARQUET 66 is a special protective maintenance wax with a satin-finish to be used after pre-treating with NATURAL PARQUET. It does not alter the tone of the surface. LINFO PARQUET 66, with its special formulation, gives greater protection to wooden floors while facilitating maintenance



WATER BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH COTTON CLOTH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES

RILUX



RILUX is a soft yet repolishable wax to be used on parquet. It protects floors while increasing stain protection properties. It gives a soft effect similar to paste wax, facilitating routine maintenance. It is a finishing and maintenance wax designed for all wooden surfaces that have been treated with greasy wax or vegetable oils.



WATER BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH COTTON CLOTH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES



MAINTENANCE

NUTRO-PARQUET



NUTRO-PARQUET is a natural wax oil in aqueous solution to be used as a preserving treatment on all indoor oiled surfaces, to nourish and protect wood. It enhances and protects oiled and waxed wooden floors, ensuring and increasing stain protection properties, facilitating routine maintenance.

- WATER BASED
- FOR INTERIORS
- TO USE PURE
- MANUAL APPLICATION
- FOR FLOORS
- SPREAD WITH COTTON CLOTH
- FOR EXTERIORS
- TO USE DILUTED
- INDUSTRIAL APPLICATION
- FOR STRUCTURES

PERLAGE ORO



PERLAGE ORO is a new concept wax which, thanks to its components and the thin layering, nourishes and protects varnished parquet surfaces, protecting them from wear and from dirt. It gives a well looked after and bright appearance. Available polished or satin.

- WATER BASED
- FOR INTERIORS
- TO USE PURE
- MANUAL APPLICATION
- FOR FLOORS
- SPREAD WITH COTTON CLOTH
- FOR EXTERIORS
- TO USE DILUTED
- INDUSTRIAL APPLICATION
- FOR STRUCTURES

NATOIL



NATOIL is an oil emulsion for preserving floors or wooden structures, it nourishes and protects giving the surface a soft and fuller appearance. It is suitable for preserving wooden surfaces that have been treated previously with primer. The oil applied as a maintainer nourishes and increases hydro-repellence. Special maintenance on decking must be carried out at the beginning and at the end of the summer.

- WATER BASED
- FOR INTERIORS
- TO USE PURE
- MANUAL APPLICATION
- FOR FLOORS
- SPREAD WITH BRUSH
- FOR EXTERIORS
- TO USE DILUTED
- INDUSTRIAL APPLICATION
- FOR STRUCTURES

SAPONE & OLIO



SAPONE & OLIO is a product based on natural soap and oil, which can be diluted in all proportions with water. It is a formulation to be used for cleaning and preserving oiled wooden floors, indoors and outdoors. Its main feature is that it cleanses surfaces while depositing a protective layer that increases resistance.

- WATER/OIL BASED
- FOR INTERIORS
- TO USE PURE
- MANUAL APPLICATION
- FOR FLOORS
- SPREAD WITH COTTON CLOTH
- FOR EXTERIORS
- TO USE DILUTED
- INDUSTRIAL APPLICATION
- FOR STRUCTURES




HELIOS

THE LINE HELIOS

The Helios collection includes cleaners and strippers ready to restore the original appearance of all kinds of surfaces and prepare them to receive a further course of treatment designed to revive the natural beauty of any material and prolong its life.

The vast assortment of this range allows us to intervene actively on different types of surfaces, both indoors and outdoors, including floors and facades made of natural stone, marble, brick, concrete and wood. The effectiveness of our products is integrated by ease of use which simplifies the ordinary and extraordinary maintenance of all kinds of surfaces.

Particular attention is paid to the welfare of the environment and planet by using biodegradable products.



THE RANGE

- Neutral detergents
- Soaps
- Stain removers
- Acids
- Dewaxers





MISTRALL



MISTRALL is the result of extensive research with a special high concentration formula for cleaning and treating various surfaces. Thanks to its special formulation, as well as providing a sanitizing and brightening action, it prevents the formation of mould, bacteria, pathogenic germs. It is also suitable for delicate surfaces, such as: stone, marble (even polished), wood, cotto, porcelain stoneware, ceramic, laminate, linoleum, etc...



WATER BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH COTTON CLOTH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES

EQUIPMENT



EXTRAORDINARY MAINTENANCE

GRAY-REMOVE



GRAY-REMOVE is a solution of acids, surfactants and wetting agents used for removing old grey build-up (polyphenols) caused by stagnant water and the normal deterioration process due to weathering. It is used on several types of wooden surfaces, whether floors or vertical structures, to restore the original colour of wood (before the ageing process). It also removes tannic acid stains, even if the wood surface is protected, without ruining the treatment.



WATER BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH BRUSH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES

MICROMAX-EXTRA



MICROMAX EXTRA is a concentrated cleanser that removes stains, dewaxes and cleans very dirty floors. It is a product with multiples uses, which differ according to the dilution for the various purposes and requirements. Suitable for cleaning floors in porcelain stoneware, ceramic, natural stone, concrete, cotto and wood. It is used to remove the residues of epoxy grout.



WATER BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH BRUSH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES

WAX REMOVERS

CHEMSOL-C



CHEMSOL-C is composed of more organic solvents in equilibrium with each other able to carry out the task of diluent for vegetable oils. It is used for diluting several products such as: Corolle, Oilecler, etc... It can also be used as a cleanser on new or antique wooden surfaces, previously treated with wax or to remove any excess oil. It is ideal for cleaning brushes, fleeces, etc.... soaked in oil.

-  SOLVENT BASED
-  FOR INTERIORS
-  TO USE PURE
-  MANUAL APPLICATION
-  FOR FLOORS
-  SPREAD WITH BRUSH
-  FOR EXTERIORS
-  TO USE DILUTED
-  INDUSTRIAL APPLICATION
-  FOR STRUCTURES

DECERSOLV








DECERSOLV is a mixture of solvents and surfactants to be used as a specific dissolver in particularly troublesome situations. It is effective in dissolving previous treatments involving resins, synthetic waxes and oils, on all floors and coverings in cotto, klinker, wood, stoneware, marble etc... where other wax removers have had little effect.

-  SOLVENT BASED
-  FOR INTERIORS
-  TO USE PURE
-  MANUAL APPLICATION
-  FOR FLOORS
-  SPREAD WITH BRUSH
-  FOR EXTERIORS
-  TO USE DILUTED
-  INDUSTRIAL APPLICATION
-  FOR STRUCTURES

SOLVENTE-XL



SOLVENTE-XL is a mixture of various solvents and surfactants to be used as a specific dissolver in particularly troublesome situations. It is effective in dissolving previous treatments with wax, paint, oil or synthetic wax on floors and coverings in cotto, klinker, wood, stoneware, marble etc... where other dewaxing products have had little effect.

-  SOLVENT BASED
-  FOR INTERIORS
-  TO USE PURE
-  MANUAL APPLICATION
-  FOR FLOORS
-  SPREAD WITH BRUSH
-  FOR EXTERIORS
-  TO USE DILUTED
-  INDUSTRIAL APPLICATION
-  FOR STRUCTURES

STRIP GEL



STRIP-GEL is a product formulated using various solvents in a thickened formula that allows you to quickly remove graffiti and/or stains of various kinds. It is suitable for removing oil stains, dirt or graffiti from natural stone, concrete, bricks, plaster, metal, architectural works, klinker, etc... The high viscosity of the product facilitates removal even from vertical surfaces.

-  SOLVENT BASED
-  FOR INTERIORS
-  TO USE PURE
-  MANUAL APPLICATION
-  FOR FLOORS
-  SPREAD WITH BRUSH
-  FOR EXTERIORS
-  TO USE DILUTED
-  INDUSTRIAL APPLICATION
-  FOR STRUCTURES



INDUR K-33



Hardener additive able to provide greater hardness and stain-resistant properties to the treatment with Natural Parquet, Natural Living, Olio Di Luna, Protect AF-33, Nature Fur and Primo Legno.



WATER BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH BRUSH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES

RETIKOL CK



Hardener additive able to provide a fast cross-linking of product increasing hardness and stain-resistant properties to the treatment with Corolle.



WATER BASED



FOR INTERIORS



TO USE PURE



MANUAL APPLICATION



FOR FLOORS



SPREAD WITH BRUSH



FOR EXTERIORS



TO USE DILUTED



INDUSTRIAL APPLICATION



FOR STRUCTURES







NewChemical
PREVENTION

NEW CHEMICAL PREVENTION SNC
VIA MAESTRI DEL LAVORO, 10
41034 FINALE EMILIA (MODENA) ITALY
TEL+39 0535 91336 - INFO@NEWCHEMICAL.IT
WWW.NEWCHEMICAL.IT

Download our app
NCP NEW CHEMICAL PREVENTION
to Google Play or Apple Store